## September 13, 2018, Jennifer Murdock

## How to get STATA output into Quercus with proper formatting

**1.** Cut-and-paste from the .txt file to get this (which looks terrible):

Define the correct answer as any number within a range, or a number plus or minus some error margin. Student will be given an empty text box to type their numerical answer. Question: B	Question	Numerical Answer		pts:	1	
Review the STATA regression output below.         . regress y x         Source   SS df MS Number of obs = 100	Define the correct answer as Question: B I ⊔ <u>A</u> 、 Ⅲ ▼ Ⅲ & ※ ※	any number within a range, or a number plus • 프 · Ix 폰 프 프 프 · 프 · Vx 递 D · 개 다	or minus some error margin. Student will be given an empty text box to type their numerical answer. HTML Editor Image: The second se			
y   Coef. Std. Err. t P> t  [95% Conf. Interval] 	Review the STATA . regress y x Source   SS df MS 	A regression output below. S Number of obs = 100 F(1, 98) = 1 T 130.617357 Prob > F = 0.0 4575 98 .944698546 R-squared Adj R-squar 4 99 2.25452338 Root <u>MSE</u> = .9	38.26 000 I = 0.5852 ed = 0.5810 07196			
96 Words	y   <u>Coef</u> Std. Err. t 	t P> t  [95% Conf. Interval] 558 11.76 0.000 .8860771 1.245 1972237 20.69 0.000 1.818443 ard deviation of the variable y?	5884 2.204317	96 v	vords	

2. Select the STATA output and selected Preformatted from the drop-down Paragraph menu.

Question Numerical Answer		pts: 1
Define the correct answer as any number within a range, or a number plus or minus some error mar Question: <b>B</b> $I \ \ \square \ \ A \ \ \blacksquare \ \ \ I_x \ \ \blacksquare \ \ \ \blacksquare \ \ \blacksquare \ \ \blacksquare \ \ \ \blacksquare \ \ \ \blacksquare \ \ \ \ \blacksquare \$	rgin. Student will be given an empty text box to type their numerical answer. HTML Editor Paragraph  (n)	
Review the STATA regression output below.         regress y x         Source   SS df MS Number of obs = 100           +       F(1, 98) = 138.26         Model   130.617357 1 130.617357 Prob > F = 0.0000         Residual   92.5804575 98 .944698546 R-squared = 0.5852         +       Adj R-squared = 0.5810         Total   223.197814 99 2.25452338 Root MSE = .97196         +       Adj R-squared = 0.5810         Y   Coef. Std. Err. t P> t  [95% Conf. Interval]         +         -         +         x   1.06598 .0906558 11.76 0.000 .8860771 1.245884         _cons   2.01138 .0972237 20.69 0.000 1.818443 2.204317         What is the standard deviation of the variable y?	Paragraph Header 2 Header 3 Header 4 Preformatted	
p		96 words

**3.** It will now look like the below (which still looks terrible):

Question	Numerical Answer v		pts: 1
Define the correct answer Question: B I ⊔ A ⊞ ▼ ⊡ &	as any number within a range, or a number plus or minus some error margin. Student will be given an empty text box to type their numerical answer. • $\blacksquare$ • $I_x \equiv \Xi \equiv \blacksquare \square x^2 \times_z \coloneqq \vdots = \vdots =$ Background color $\underbrace{\blacksquare}_{\blacksquare} \ \bowtie$ $ \iint \P_x \ 10pt  \bullet \ Preformatted \bullet \ $	HTML Editor	
Review the STAT	A regression output below. 5 Number of obs = 100 F(1, 98) = 138.26 57 1 130.617357 Prob > F = 0.0000 4575 98 .944698546 R-squared = 0.5852 Adj R-squared = 0.5810 14 99 2.25452338 Root MSE = .97196 Fr. t P> t  [95% Conf. Interval] 5558 11.76 0.000 .8860771 1.245884 .0972237 20.69 0.000 1.818443 2.204317 		
pre			96 words

4. Cut-and-paste again from the .txt file into the selected area above (which now looks even more terrible):

Question	Numerical Answer 🔹		pts: 1
Define the correct answer as Question: <b>B</b> $I \ \cup \ A$	any number within a range, or a number plus or r	ninus some error margin. Student will be given an empty text box to type their numerical answer. HTML Editor ■ x <sup>2</sup> x <sub>2</sub> = HTML Editor	
	🔟 🗸 🏧 🖻 州 ¶. 12p	ot 🔻 Paragraph 🔻 🛞	
Review the STATA . regress y x Source   SS df MS 	regression output below. Number of obs = 100 	26 0 0.5852 = 0.5810 96	*
y   Coef. Std. Err. t 	P> t  [95% Conf. Interval] .58 11.76 0.000 .8860771 1.24588 972237 20.69 0.000 1.818443 2.2		
What is the standa	rd deviation of the variable y?		•
р -			96 words

5. Select the STATA output (again) and selected Preformatted from the drop-down Paragraph menu (again).

Question Numerical Answer		pts: 1
Define the correct answer as any number within a range, or a number plus or minus some error ma Question: <b>B</b> $I \cup \underline{A} \checkmark \underline{M} \checkmark \underline{I}_{x} \equiv \Xi \equiv \overline{\Xi} \checkmark x^{2} \times_{z} = \overline{\Xi}$ $\overline{\Xi} \checkmark \underline{B} \sqrt{x} \overset{\otimes}{\longrightarrow} \sqrt{y} = \overline{y} \sqrt{y}$	HTML Editor HTML Editor HTML Editor Paragraph ▼ ⑦	
Review the STATA regression output below.         regress y x         Source   SS df MS Number of obs = 100	Paragraph Header 2 Header 3 Header 4 Preformatted	ŕ
p		96 words

## 6. It now looks good. Save it.

testion the the correct answert	Vumerie ver as any number	vithin a range	or a number plu	is or minus some error r $\overline{2} = \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$	nargin. Student w	/ill be giv	ven a	an em	mpty	( text	t box t	to type	their num	erical answ	er.	 HTML Editor	pts:	1
I▼ IEI & eview the ST	ে ≊ে √ ATA regress	× 👑 🖻	<b>√¶ ¶</b> ∙ below.	10pt -	Preformatte	ed 🝷	۲	8										
Source   Model   Residual	SS 130.617357 92.5804575	<u>df</u> 1 98	MS 130.617357 .944698546	Number of obs F(1, 98) Prob ≻ F R-squared Adi R-squared	= 1 = 138. = 0.00 = 0.58 = 0.58	.00 .26 000 352 310												
Total   y	223.197814 <u>Coef</u> .	99 Std. Err.	2.25452338 t	Root <u>MSE</u> P> t  [95% Co	= .971 onf. Interva	.96												
x _cons	1.06598 2.01138	.0906558 .0972237	11.76 20.69	0.000 .88607 0.000 1.8184	71 1.2458 43 2.2043	184 117												
hat is the sta	andard devia	tion of the	variable y?															
•																	96 w	VOI

## 7. It looks even better to students.

Questio	n 1							
leview th	ne STA	ATA regressi	on output	t below.				
. regress	ух							
Sou	ince	SS	df	MS	Numbe	er of obs	=	100
Mc Resic	odel   dual	130.617357 92.5804575	1 98	130.61735 .94469854	- F(1, 7 Prob 6 R-sqi	98) > F Jared	= =	0.0000
Тс	otal	223.197814	99	2.2545233	- Adji 8 Root	R-squared MSE	-	0.5810 .97196
	уļ	Coef.	Std. Err.	t	P> t	[95% Con	f. I	nterval]
_0	x   ons	1.06598 2.01138	.0906558 .0972237	11.76 20.69	0.000 0.000	.8860771 1.818443	1	1.245884 2.204317
(								
mat is ti	ie sta	indard devia	tion of th	e variable	y:			

8. If you are using the same output for multiple questions (or versions of the same question), you can cut-andpaste (so that you do not need to repeat all the steps above). However, you must copy from within edit mode as shown below. (If you copy the displayed version and try to paste that into a new question you will get a nasty error message that you cannot escape from without closing things down.)

Define the correct answ Question: B I ⊻ ⊞ ▼ ₽₽ &	ver as any number A_ ▼ A ▼ Č?? III √5	within a range	. or a number plus E = C C N N	or minus some error matrix $\overline{P} = X^2 \times_2$ 12pt $\checkmark$	argin. Student will be ; ■ 3= Paragraph	ven an empty text box to type their numerical answer.		HTML Editor
. regress y x	AIATeglessi	on output	Delow.					
Source   + Model   Residual	SS 130.617357 92.5804575	df 1 98	MS 130.617357 .944698546	Number of obs F(1, 98) Prob > F R-squared Adi R-squared	= 100 $= 138.26$ $= 0.0000$ $= 0.5852$ $= 0.5810$			
Total   	223.197814 Coef.	99 Std. Err.	2.25452338 t P	Root MSE	= .97196			
×   _cons	1.06598 2.01138	.0906558 .0972237	11.76 0 20.69 0	.000 .886077 .000 1.81844	1 1.245884 Emoji			
What is the sta	ndard doviat	tion of the	variable v2		Cut		Ctrl+X	
what is the ste			variable y?		Сору		Ctrl+C	
					Paste		Ctrl+V	
					Paste as plain	xt	Ctrl+Shift+V	
					Select all		Ctrl+A	
					Search Google	or "Review the STATA regression output below"		
					Print		Ctrl+P	
					Spellcheck Writing Directi	n	+ +	
р					Inspect		Ctrl+Shift+I	96 word